



AC 1750

Wireless Dual Band Gigabit ADSL2+ Modem Router *Archer* D7

Highlights

- Superfast Wi-Fi 450Mbps on 2.4GHz + 1300Mbps on 5GHz
- Maximum Range 3 external dual band detachable antennas provide maximum omni-directional wireless coverage and reliability
- · Gigabit Wired Speed Full gigabit ports ensure ultrafast data transfer speeds
- Dual USB Ports Easily share printers, files or media with your friends or family locally or over the Internet
- ADSL/EWAN ADSL port supports ADSL connections via phone cable and the LAN/WAN port supports cable/fiber modem connections via Ethernet cable
- Tether App TP-LINK Tether provides the easiest way to access and manage the router on your iOS and Android devices



450Mbps+ Dual Band 1300Mbps 2.4 & 5 GHz



and Gigabit GHz Ports



2 x USB 2.0 Ports




EWAN Connection







Features



Speed

- Superfast Wireless Speed Combined wireless speeds up to 1.75Gbps at 2.4GHz & 5GHz band concurrently
- Support 802.11 ac Offering 3 times faster data rate than 802.11n in a single stream
- Gigabit Wired Speed Full shielded gigabit ports ensure ultrafast data transfer speeds



Wi-Fi Range

 3 Dual Band Antennas – 3 dual band detachable antennas provide maximum Omni-directional wireless coverage



Reliability

- Simultaneous Dual Band Reduces interference for more stable connections
- QoS Advanced QoS automatically recognizes & prioritizes streaming & gaming applications

Features



Easy Sharing

- Dual USB Ports for Fast Sharing With dual USB 2.0 ports, you can access and share a printer as well as your files and media locally. Via the router's FTP server, you can also have access to your files & media with networked devices remotely
- Built-in Print Server Supports wireless printing from multiple computers (works in conjunction with a USB Printer)
- Built-in Media Server Allows users to play music, video and view photos



Ease of Use

- Hassle-free Management with Tether App –
 Tether App allows easy network management at your fingertips
- 3-Step Quick Installation Easy Setup Assistant supporting multiple languages provides a quick & hassle free installation
- Built-in Intelligent Auto-detection Automatically figuring out which connection type to use in a flash, saving the trouble of searching for connection information
- Fast Encryption Easy one-touch WPA wireless security encryption with the WPS button



Security

- Guest Network Access Guest Network Access provides secure Wi-Fi access for guests
- Parental Control Establish restricted access policies for all connected devices
- Easy Bandwidth Management IP-based Bandwidth Control makes it easier for you to manage the bandwidth of connected devices
- VPN Support Secure access to your home or office network from remote devices
- SPI and NAT Firewall Protects end-user devices from potential attacks from the Internet

Versatile Connectivity

As a complete integrated modem router, the Archer D7 provides versatile connectivity options including ADSL and fiber/cable connections. This makes it easier when users need to choose among different Internet service providers when necessary.



Tether App Easy Network Management at Your Fingertips


TP-LINK Tether provides the easiest way to access and manage the router on your iOS and Android devices. From Setup to Parental Control, Tether provides a simple, intuitive user interface to see what the status of your router is, who's online and what their privileges are. TP-LINK Tether is going to be adaptable to more router models.



Specifications

Hardware

- Ethernet Ports: 3 10/100/1000Mbps RJ45 LAN Ports, 1 10/100/1000Mbps RJ45 WAN/LAN Port, 1 RJ11 Port
- USB Ports: 2 USB 2.0 Ports
- · Button: WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button
- External Power Supply: 12V/2.5A
- **Dimensions (W x D x H):** $9.0 \times 6.3 \times 1.5 \text{ in.} (229 \times 160 \times 37 \text{mm})$
- IEEE Standards: IEEE 802.3, 802.3u, 802.3ab
- ADSL Standards: Full-rate ANSI T1.413 Issue 2, ITU-T G.992.1(G.DMT), TU-TG.992.2(G.Lite), ITU-T G.994.1 (G.hs), ITU-T G.995.1
- · ADSL2 Standards: ITU-T G.992.3 (G.DMT.bis), ITU-T G.992.4 (G.lite.bis)
- ADSL2+ Standards: ITU-T G.992.5
- · Antenna Type: 3 external detachable dual band antennas (RP-SMA)
- · Antenna Gain: 3 x 2dBi for 2.4GHz and 3 x 3dBi for 5GHz



Wireless

- · Wireless Standards: IEEE 802.11a/n/ac 5GHz, IEEE 802.11b/g/n 2.4GHz
- Frequency: 2.4GHz and 5GHz
- · Signal Rate: 1300Mbps at 5GHz, 450Mbps at 2.4GHz
- Transmit Power: <20dBm(EIRP)
- Wireless Function: Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
- Wireless Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA-PSK2 encryptions, Wireless MAC Filtering
- · Wireless Schedule: Support 2.4GHz and 5GHz Wireless Schedule

Specifications

Software

- · Operation Modes: ADSL Modem Router, Wireless Router
- · DHCP: Server, Client, DHCP Client List, Address Reservation, DHCP Relay
- Quality of Service: ATM QoS, Traffic Control(IP QoS)
- Port Forwarding: Virtual Server, Port Triggering, DMZ, ALG, UPnP
- Dynamic DNS: DynDns, NO-IP
- · VPN Passthrough: PPTP, L2TP, IPSec Passthrough
- ATM/PPP Protocols: ATM Forum UNI3.1/4.0, PPP over ATM (RFC 2364),
 PPP over Ethernet (RFC2516), IPoA (RFC1577/2225), MER\IPoE (RFC 1483 Routed), Bridge (RFC1483 Bridge), PVC Up to 8 PVCs
- Security: NAT Firewall, Access Control, MAC / IP / URL Filtering, Denial of Service (DoS), SYN Flooding, Ping of Death, IP and MAC Address Binding
- Advanced Functions: Parental Control, Network Address Translation(NAT), Port Mapping(Grouping), Static Routing, RIP v1/v2(optional), DNS Relay, DDNS, IGMP V1/V2/V3
- USB Sharing: Support Samba(Storage)/FTP Server/Media Server/Printer Server
- Management: Web Based Configuration(HTTP), Remote management, command Line Interface, SSL for TR-069, SNMP v1/2c, Web Based Firmware Upgrade, Diagnostic Tools
- Guest Network: 2.4GHz guest network x 1, 5GHz guest network x 1
- IPSec VPN: Supports up to 10 IPSec VPN tunnels
- Protocols: Supports IPv4 and IPv6

Others

Package Contents

- · AC 1750 Wireless Dual Band Gigabit ADSL2+ Modem Router Archer D7
- · External Splitter
- · RJ-11 Telephone Cable
- · RJ-45 Ethernet Cable
- · Resource CD
- · Power Adapter
- · Quick Installation Guide

Certification

· CE, FCC, RCM, RoHS

System Requirements


- Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1, MAC OS, NetWare, UNIX or Linux
- · Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser
- · Cable or DSL Modem
- · Subscription with an Internet Service Provider (for Internet access)


Environment

- · Operating Temperature: $0^{\circ}\text{C} \sim 40^{\circ}\text{C}$ (32 °F ~ 104 °F)
- Storage Temperature: $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ (-40 °F ~158 °F)
- · Operating Humidity: 10%~90% non-condensing
- · Storage Humidity: 5%~90% non-condensing

Others

Ideal to use with





Similar Products











👫 🔳 For more information, please visit

http://www.tplink.com/test/products/details/cat-15_Archer-D7.html

or scan the QR code left

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks or r

www.tp-link.com